

# WIFI [IP Camera](#) [RCM-WF101](#)

## Features

- [Motion](#) [Detection](#) [Alert](#) [Email](#) [Push](#) [Notification](#) [SMS](#) [Alert](#) [Push](#) [Notification](#)
- P2P
- WPS
- SD / SDHC
- Mini



## Installation

The camera can be installed in various ways. It can be mounted on a wall or ceiling, or it can be placed on a table. The camera is easy to install and use. It can be used to monitor your home or office. It can also be used to monitor your pets. The camera is a great choice for anyone who wants to keep an eye on their property.

## Specification

Model	RCM-WF101
Resolution	
Resolution	COMS 1 / 4sensor
Light Sensitivity	0 LUX
Resolution	1MP Resolution 90° 120° :Resolution
Roating	30 :Resolution 360 :Resolution °

映像	
映像フォーマット	MJPEG
映像ビットレート	8 4 ~ 映像ビットレート 映像 映像ビットレートMbps
音声フォーマット	G.711
解像度	
映像解像度	640X480
フレームレート	50HZ: 25 640) 映像ビットレート 映像 映像ビットレートX480)
音声解像度	映像ビットレート 映像 映像ビットレート 映像ビットレート 映像ビットレート 映像ビットレート 映像ビットレート
ストレージ	
ストレージタイプ	映像 NAS 映像 SD / SDHC
無線LAN	802.11b / g / n MAX: 30M
映像ビットレート	映像ビットレート
映像フォーマット	映像ビットレート
映像フォーマット	TCP / IP 映像 HTTP 映像 DHCP 映像 DNS 映像 RTP / RTSP 映像 PPPOE 映像 SMTP 映像 NTP
動作温度	
動作温度範囲	-10 °C ~ 60 °C 映像 映像ビットレート LT 映像 [- 250.00] 90
動作電圧	DC5V
動作消費電力	2W MAX
サイズ (幅 x 高さ x 奥行き)	74X48.5X58.5
容量	100G

映像



Richmor Brand Package



Standard Package

CE FCC ROHS



Richmor 全球代理商网络



Richmor 全球代理商网络

Richmor 全球代理商网络

Richmor 全球代理商网络: [jenny@rcmctv.com](mailto:jenny@rcmctv.com) Richmor 全球代理商网络: [rcmctvsales4](mailto:rcmctvsales4)