



- □
- 1. □□□□□□□□
- 2. □□□
- 3. □□□□
- 4. □□□□□□IP67




□□□□□□□ □□

|        |                        |
|--------|------------------------|
| □□     | □□                     |
| □□     | 1/3 Color Sony CCD     |
| □□     | PAL/NTSC               |
| □□     | 420TVL/480TVL/600TL □□ |
| □□□□□  | 0 Lux ( □□□□□)         |
| □□□    | □ 50 dB, (AGC off)     |
| □□□□□□ | □□                     |
| □□□    | □□                     |

|        |  |
|--------|--|
| □□□    | 12 □                                       |
| □□□□□□ | 10 □                                       |
| □□□□   | 1 Vp-p, 75Ωcomposite , BNC x1              |
| □□□□   | □□   |
| □□□□   | □□   |
| □□□    | 0.45                                       |
| □□     | f3.6mm Standard Lens,2.8mm/6mm For Options |
| □□     | 12V DC ±10%                                |
| □□     | 210mA                                      |
| □□     | 76.4 x 60.5 x 56mm                         |
| □□     | 215g                                       |
| □□□□   | IP67                                       |
| □□□□   | -10°C to +50°C                             |

**Camera Module Orientation Matches Letter Orientation Illustrated:**



□□□□□□□□□□





Richmor

1. 3
- 2.
3. CE FCC RoHS