
WIFI Wireless IP Camera RCM-WF101

Main features

- Mobile Phone View Through Internet by Remote Viewing
- Support P2P Connection
- Support WPS Router Function
- Support SD/SDHC Local Storage
- Magnetic Base, easy to adjust the view angle
- Smart MINI Size





Application

-Remote view talking with family etc through Mobile Phone App,digital anti-theft, <u>Real time</u> <u>Alarm for your home security</u>

-Support Android and Iphone Mobile phone real time view through WIFI/3G/4G network, convenient for Home, Office, Shop etc.

Specifiation

| Item | Specification |
|-------------------------|--|
| Camera | |
| Sensor Type | 1/4sensor COMS |
| Minimum Illumination | 0 LUX |
| Lens | 1MP degree angle: 120 °, 90 ° optional |
| Roating Angle | Horizontal: 360 °, Vertical: 30 ° |
| Compression | |
| Video Compression | MJPEG |
| Bit Rate | 8 Kbps~4Mbps |
| Audio Compression | G.711 |

| T | |
|---------------------|---|
| Image | |
| Max Image Size | 640x480 |
| Frame | 50Hz: 25 fps (640x480) |
| Image Setting | Saturation, brightness, contrast is adjustable from |
| | client or web browser |
| Function | |
| Storage | Support NAS, SD / SDHC |
| WIFI parameters | 802.11b/g/n, MAX: 30m |
| Talk Back Function | Sound Monitor |
| Digital Alarm Clock | Motion Detection |
| Support Protocol | TCP / IP, HTTP, DHCP, DNS, DDNS, RTP / RTSP, |
| | PPPoE, SMTP, NTP |
| Other | |
| Temperature and | -10 °C ~ 60 °C, humidity <[-250.00] 90% |
| Humidity | |
| Power Supply | DC5V |
| Power consumption | 2W MAX |
| Size (mm) | 74X48.5X58.5 |
| Weight | 100g |

Package



Richmor Brand Package

Standard Package

CE FCC ROHS Certification



Customers throughout the world



Thanks for your supports!

Welcome to contact Jenny for more details

E-mail: jenny@rcmcctv.com Skype: rcmcctvsales4