

Avantajı

- 1.Super Anti-Titreşim darbeye koruması;
- 2.IR LED Işık 150meter kadar uzanmaktadır;
- Silecek 3.Weatherproof;
- 4.High sonu Sony Çözümü;
- Brasil Dünya Kupası ile 5.Cooperate; Çin Kurulu Bölümü vb;

Ayrıntılı Resimleri



Şartname






Ürün & nbsp; adı	Polis arabasında için 100m Lazer CCTV PTZ Kamera
Modeli	RCM-IPC216
Görüntü & nbsp; Sensörü	1/3 " & nbsp; Sony & nbsp; CCD
Sinyal & nbsp; Model	PAL / NTSC
Yatay & nbsp; çözünürlük	650TVL
Etkili & nbsp; piksel	PAL: 976 (H) * 582 (V); & nbsp; NTSC: 976 (H) & nbsp; * 494 (V)
Asgari & nbsp; aydınlatma	0Lux, renk ve nbsp; & nbsp; B / W, & nbsp; IR & nbsp; sensörü, & nbsp; IR-CUT
S / N & nbsp; radyo	60dB & nbsp; (gelişmiş)
Arka ışık & nbsp; tazminat	Işık & nbsp; / Kapalı / Güçlü & nbsp; inhibisyonu
& Nbsp; dengesi	Otomatik / Manuel
Iris	Otomatik / Manuel
Elektronik & nbsp; Kepenk	PAL 1/50 ~ 1 / 10000s; & nbsp; NTSC: 1/60 ~ 1 / 12000s
Odak & nbsp; uzunluğu	4.8 ~ 105.6mm
Optik & nbsp; odak	22X
Odak	Auto/manual,take high performance DSP to achieve complete digital and ultra-high speed focusing function
Presets	256
Desen & nbsp; izlemek	4 & nbsp; grupları, & nbsp; her & nbsp; & nbsp; olabilir; kayıt & nbsp; nbsp; 200 & nbsp; eylemleri
Tur & nbsp; parça	16 presets can join the cruise, can set the preset residence time
Diğer & nbsp; tarama	Destek & nbsp; yatay & nbsp; tarama, & nbsp; iki & nbsp; noktaları & nbsp; rastlantısal nbsp; alan & nbsp; tarama, & nbsp; tarama
Rotasyon & nbsp; aralığı	Yatay & nbsp; 360 ° sınırsız & nbsp; rotasyon, & nbsp; dikey & nbsp; 180 °, & nbsp; oto & nbsp; iptali
Rotasyon & nbsp; hız	Yatay: & nbsp; 240 ° / s; & nbsp; Dikey: & nbsp; 160 ° / sn
İletişim	RS485, PELCO & nbsp; D & nbsp; PELCO & nbsp; P

OSD	İngilizce / Çince & nbsp; menüsü
Özel & nbsp; fonksiyonu	AWB, WDR, MASK, DNR, Güçlü & nbsp; ışık & nbsp; engelleme
Sıcaklık & nbsp; kontrolü	Dahili
Akıllı & nbsp; IR & nbsp; lambalar	400m, synchronized camera angles and adjust the laser angle 2°~60°at night
Güç & nbsp; kaynağı	DC12V / 4A
Malzeme	Alüminyum
Work & nbsp; çevre	-20 ° ~ + 50 ° (Seç & nbsp; sıcaklık & nbsp; kontrol & nbsp; aksesuarlar), az & nbsp; daha & nbsp;% 95 RH

Uygulama



Belgelendirme

 Warranty	<p>All items with 1 year warranty. Buyer pays the shipping cost back to us for repairing the faulty items within warranty date; we will repair all faulty items for free within warranty and pay the shipping back to you. We accept the refund by returning of the original goods and receipt in 7 days from purchasing date. Items should not be defective or broken.</p>
 Payment	<p>We accept Alipay, West Union, TT. All major credit cards are accepted through secure payment processor ESCROW.</p>
 Shipping	<p>DHL, EMS, UPS, Post WORLDWIDE SHIPPING. Deliver within 24 Hours for sample order.</p>
 After-Sales	<p>If there is any problem with technical operation or anything we can help, please contact us by Email or Trade Manager soon. Our engineer team will support you with pleasure!</p>
 Price	<p>We are the original designer and manufacture of the described product. Direct factory supply without any middleman.</p>

Fabrika Turu



Richmor OEM & ODM Service
Brazil World Cup Supplier


South Africa



Argentina




Czech Republic



Brazil



Russia



India



Turkey



Mexico



Saudi Arabia

